



www.santos.fr



Ice Crusher # 53



Internationally patented models

Delivered with 1 standard ice bucket



Ice crusher

Powerful / Efficient / Reliable

- Heavy duty, high output, and silent commercial ice crusher.
- Makes both fine and coarse crushed ice in just one touch of a button.
- Simply and quickly makes 1.2kg (2.7 pounds) of crushed ice in 30 seconds.
- Ideal for cocktails, caipirinhas, mojitos, frozen margaritas or daiquiris and to serve food on a bed of ice.
- Electronic control unit with 2 operating systems (manual or automatic timer)



Grey



Red



Blue



Yellow



Watch the video





- Put the content of the ice bucket into the ice cube hopper.
- Place the ice bucket on the drip tray.
- Press the button corresponding to the size of crushed ice required (fine or coarse).



Technical specifications

<div style="background-color: #76b82a; color: white; border-radius: 50%; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin-bottom: 10px;">Motor</div>	Single phase	100-120V - 50/60 Hz - 155 W 220-240V - 50/60 Hz - 130 W	
	Speed	73 rpm (50 Hz) 89 rpm (60 Hz)	
<div style="background-color: #76b82a; color: white; border-radius: 50%; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin-bottom: 10px;">Weight</div>	Net	10 Kg (22 lbs)	
	Packed	11 Kg (24 lbs)	
<div style="background-color: #76b82a; color: white; border-radius: 50%; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin-bottom: 10px;">Dimensions</div>		Appliance	Packed (Box)
	Height	474 mm (19")	520 mm (20.5")
	Width	236 mm (8")	375 mm (14.7")
	Depth	353 mm (12")	415 mm (16.3")
	Shipping cube		0.080 m ³ (2.7 ft ³)

Safety - Standards - Hygiene

In accordance with the following regulations:

- ◆ Machinery directive 2006/42/EC
- ◆ Electromagnetic compatibility 2004/108/EC
- ◆ RoHS directive 2002/95/EC
- ◆ "Low voltage" directive 2006/95/EC
- ◆ Regulation 1935/2004/EC (contact with food)

Electrical safety

Waterproof Electric Control Unit. Overload safety. All mechanical parts are ground connected. Appliances are 100 % tested after assembly

Thermal safety

Motor protected by internal thermal detector

- ◆ Harmonized European standards
EN ISO 12 100-1 and 2 : 2004
EN 60204-1 : 2006
- ◆ CE European standards

Acoustic safety

The asynchronous motor is particularly silent

Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water

