


**Illuminazione interna con 2 lampade alogene a 12v**

Internal lightening system with two 12V halogen lamps
 Doppelte Beleuchtung der Backkammer mit 12V Halogenlampe
 Éclairage interne avec deux lampes halogènes 12V
 Iluminación interior con dos lámparas halógenas a 12V
 Освещение двумя галогенными лампами 12V
 внутри камеры

**Camera di cottura in acciaio inox**

Stainless steel cooking chamber
 Backkammer aus Edelstahl
 Chambre de cuisson en acier inox
 Cámara de cocción en acero inoxidable
 Камера приготовления из нержавеющей стали

**Piano di cottura in mattoni di cordierite o lamiera bugnata**

Cooking surface with refractory Cordierite bricks or metal plate
 Backfläche aus Cordierit Steine oder geprägtes Blech
 Plan de cuisson en briques réfractaires en cordiérite ou tôle gaufrées
 Superficie de cocción con material refractario de corderita o chapa estampada
 Выпекающая поверхность из кордиеритовых кирпичей или из рифленого листового проката

**Vaporiera**

Steamer
 Bedampfung
 Cuit-vapeur
 Generador de vapor
 Парогенератор

**Ventola di raffreddamento**

Cooling fan - Kühlventilator
 Ventilateur de refroidissement
 Ventilador de refrigeración
 Вентилятор охлаждения

**Guarnizione tenuta calore tra porta e camera di cottura**

Heat seal between door and cooking chamber
 Wärmeabdichtung zwischen Tür und Backkammer
 Joint isolation chaleur entre porte et chambre de cuisson
 Guarnición de aislamiento calor entre puerta y cámara de cocción
 Уплотнение между дверцей и камерой приготовления

Leonardo

Forno elettrico sovrapponibile

Superimposable electric oven - Elektro-Backofen stapelbar
Four électrique superposable - Horno eléctrico superponible
Электрическая печь с



TS



| | | |
|--|--|--|
| <p>H 400 mm</p> <p>Dimensioni esterne External dimensions Außenmaße Dimensions externes Dimensiones externas Внешние размеры</p> | <p>H 470 mm</p> <p>Dimensioni esterne External dimensions Außenmaße Dimensions externes Dimensiones externas Внешние размеры</p> | <p>H 400 mm</p> <p>Dimensioni esterne External dimensions Außenmaße Dimensions externes Dimensiones externas Внешние размеры</p> |
| <p>H 180 mm</p> <p>Dim. camera di cottura Cooking chamber dim. Maße der Backkammer Dimen. chambre de cuis. Dimen. cámara de cocción Размеры пекарной камеры</p> | <p>H 250 mm</p> <p>Dim. camera di cottura Cooking chamber dim. Maße der Backkammer Dimen. chambre de cuis. Dimen. cámara de cocción Размеры пекарной камеры</p> | <p>H 180 mm</p> <p>Dim. camera di cottura Cooking chamber dim. Maße der Backkammer Dimen. chambre de cuis. Dimen. cámara de cocción Размеры пекарной камеры</p> |






| Modello - Model - Modell - Modèle - Modelo - Модель | | LN2T/1TS - LN2T/1TSM | LN2T/1TSH - LN2T/1TSHM | LN3T/1TS - LN3T/1TSM |
|---|--|---|---|---|
| | <p>Capacità di cottura pizze Pizza baking capacity - Backleistung Pizzas Capacité de cuisson de pizzas Capacidad de cocción de pizzas Производительность приготовления</p> | Nr 2 (400X600 mm) 4 (Ø350 mm) 1 (Ø500 mm) | Nr 2 (400X600 mm) 4 (Ø350 mm) 1 (Ø500 mm) | Nr 3/4 (400X600 mm) 6 (Ø350 mm) 2 (Ø500 mm) |
| | <p>Produttività oraria Productivity per hour - Stunden Leistung Productivité horaire - Productividad por hora Почасовая производительность</p> | Nr 10-12 (□ tray 400x600 mm) 40-44 (Ø 350 mm) 10-11 (Ø 500 mm) | Nr 10-12 (□ tray 400x600 mm) 40-44 (Ø 350 mm) 10-11 (Ø 500 mm) | Nr 15-18 (□ tray 400x600 mm) 60-66 (Ø 350 mm) 20-22 (Ø 500 mm) |
| | <p>Alimentazione elettrica Electric power supply - Stromversorgung Alimentation électrique - Alimentación eléctrica Электрическое питание</p> | Volt (50/60 Hz/ Гц) AC 3 N 400 | Volt (50/60 Hz/ Гц) AC 3 N 400 | Volt (50/60 Hz/ Гц) AC 3 N 400 |
| | <p>Consumo medio Average consumption - Durchschnittlicher Verbrauch Consommation moyenne - Consumo medio Среднее потребление</p> | kWh 7,1 | kWh 4,2 | kWh 9,7 |
| | <p>Peso netto con piano in pietre Net weight with stone deck - Nettogewicht mit Steinplatte Poids net avec le plateau en pierre - Peso neto con tapa de piedra Вес нетто с поверхностью из камня</p> | Kg 207 | Kg 222 | Kg 247 |
| | <p>Peso netto con piano in lamiera Net weight with sheet metal deck - Nettogewicht mit Blechplatte Poids net avec plateau en tôle - Peso neto con tapa de chapa Вес нетто с поверхностью из листового металла</p> | Kg 193 | Kg 208 | Kg 226 |
| | <p>Peso lordo con piano in pietre Gross weight with stone deck - Bruttogewicht mit Steinplatte Poids brut avec le plateau en pierre - Peso bruto con tapa de piedra Вес брутто с поверхностью из камня</p> | Kg 244 | Kg 259 | Kg 287 |
| | <p>Peso lordo con piano in lamiera Gross weight with sheet metal deck - Bruttogewicht mit Blechplatte Poids brut avec plateau en tôle - Peso bruto con tapa de chapa Вес брутто с поверхностью из листового металла</p> | Kg 230 | Kg 245 | Kg 266 |

H: altezza - height - Höhe - hauteur - altura - высота

(*) Altre tensioni a richiesta - Other voltages available on request - Andere Spannungen auf Anfrage - Autre tensions sur demande - Otras tensiones bajo demanda - другие сетевые напряжения по запросу.

Massima temperatura di utilizzo 450°C - Maximum operating temperature of 450°C - Maximale Betriebstemperatur von 450°C - Température de fonctionnement maximale de 450°C - Temperatura máxima de trabajo de 450°C - Максимальная рабочая температура 450°C



| | | |
|--|---|---|
| <p>H 470 mm</p> <p>Dimensioni esterne External dimensions Außenmaße Dimensions externes Dimensiones externas Внешние размеры</p>  | <p>H 400 mm</p> <p>Dimensioni esterne External dimensions Außenmaße Dimensions externes Dimensiones externas Внешние размеры</p>  | <p>H 203 mm</p> <p>Dimensioni esterne External dimensions Außenmaße Dimensions externes Dimensiones externas Внешние размеры</p>  |
| <p>H 250 mm</p> <p>Dim.camera di cottura Cooking chamber dim. Maße der Backkammer Dimen.chambre de cuis. Dimen. cámara de cocción Размеры пекарной камеры</p>  | <p>H 180 mm</p> <p>Dim.camera di cottura Cooking chamber dim. Maße der Backkammer Dimen.chambre de cuis. Dimen. cámara de cocción Размеры пекарной камеры</p>  | <p>Vaporiera Steam generator Bedampfung Cuit-vapeur Generador de vapor Парогенератор</p> |
| <p>LN3T/1TSH - LN3T/1TSHM</p> | <p>LN650/1TS - LN650/1TSM</p> | <p>VPR</p> |
| <p>3/4 (400X600 mm) 6 (Ø350 mm) 2 (Ø500 mm)</p> | <p>5 (400X600 mm) 12 (Ø350 mm) 6 (Ø500 mm)</p> | <p>-</p> |
| <p>15-18 (□ tray 400x600 mm)</p> | <p>25-30 (□ tray 400x600 mm)</p> | <p>-</p> |
| <p>60-66 (ø 350 mm)</p> | <p>120-132 (ø 350 mm)</p> | <p>-</p> |
| <p>20-22 (ø 500 mm)</p> | <p>60-66 (ø 500 mm)</p> | <p>-</p> |
| <p>AC 3 N 400</p> | <p>AC 3 N 400</p> | <p>AC 230</p> |
| <p>5,8</p> | <p>10,8</p> | <p>-</p> |
| <p>262</p> | <p>387</p> | <p>12,5</p> |
| <p>241</p> | <p>347</p> | <p>-</p> |
| <p>302</p> | <p>448</p> | <p>14</p> |
| <p>281</p> | <p>408</p> | <p>-</p> |



Leonardo

Capra

Hood
Haube
Hotte
Campana
Вытяжка



| Dimensioni esterne External dimensions Außenmaße Dimensions externes Dimensiones externas Внешние размеры | 1315 | | 1725 | | 2090 | |
|--|----------|------|----------|------|----------|------|
| | H 390 mm | | H 390 mm | | H 390 mm | |
| | 1090 | 1090 | 1090 | 1090 | 1090 | 1090 |

| Modello - Model - Modell - Modèle Modelo - Модель | | KLN2 TNT | KLN2 TAS | KLN3 TNT | KLN3 TAS | KLN650 NT | KLN650 AS | |
|--|--|---------------------------|-------------|-------------|-------------|--------------|--------------|--------|
| | Portata Air flow rate Abluftleistung Débit Capacidad de extracción Расход | m ³ /h | - | 700 | - | 700 | - | 700 |
| | Alimentazione elettrica Electric power supply Stromversorgung Alimentation électrique Alimentación eléctrica Электрическое питание | Volt (50/60 Hz/ Гц) | - | AC 230 | - | AC 230 | - | AC 230 |
| | Peso netto Net weight Nettogewicht Poids net Peso neto Вес нетто | Kg | 39 | 44 | 47 | 52 | 54 | 59 |
| | Peso lordo Gross weight Bruttogewicht Poids brut Peso bruto Вес брутто | Kg | 69 | 74 | 78 | 83 | 91 | 96 |

NT senza aspiratore - without extractor - ohne Sauggebläse - neutre - sin aspirador - без аспиратора

AS con aspiratore a 5 velocità - with five-speed extractor fan - mit Sauggebläse mit fünf Geschwindigkeitsstufen - électrique a 5 vitesses con aspirador de 5 velocidades с 5-скоростным аспиратором

H: altezza - height - Höhe - hauteur - altura - высота

Supporto con ruote - Costruzione in similinox

Stand with wheels - Similinox structure
Untergestell mit Rädern - Konstruktion aus Similinox
Support avec roues - Construction en Similinox
Soporte con ruedas - Construcción en Similinox
Подставка с колёсами - Конструкция из similinox




H* = 450-530-610-690-770-850-930-1010-1090-1170 mm



KIT PIANI

Shelves kit - Kit Böden
Kit d'étagères - Kit de estanterías
Комплект поверхностей

| Modello - Model - Modell - Modèle Modelo - Модель | | PLN2T | PLN3T | PLN650 | |
|--|--|----------------------|--------------------|--------------------|---------------------|
| | Peso netto Net weight - Nettogewicht - Poids net Peso neto - Вес нетто | Kg | 41 | 53 | 79 |
| | Dimensioni esterne con imballo External dimensions including pack. Außenmaße der Verpackung Dimensions externes avec emball. Dimensiones externas con embalaje Внешние размеры с упаковкой | L mm P mm H mm | 1196 975 277 | 1606 975 277 | 1972 1296 277 |
| | Peso lordo Gross weight - Bruttogewicht Poids brut - Peso bruto - Вес брутто | Kg | 45 | 59 | 87 |



KIT GAMBE + RUOTE

Legs kit + wheel - Kit Beine + Räder
Kit jambes + roulettes - Kit de piernas + ruedas
Комплект ножек + колес

| Modello - Model - Modell - Modèle Modelo - Модель | | mm | GLN 450* | GLN 530* | GLN 610* | GLN 690* | GLN 770* | GLN 850* | GLN 930* | GLN 1010* | GLN 1090* | GLN 1170* |
|--|--|----------------------|--------------------|-------------|-------------|--------------------|-------------|-------------|--------------------|--------------|--------------|--------------|
| | Peso netto Net weight - Nettogewicht - Poids net Peso neto - Вес нетто | Kg | 22 | 23,5 | 26 | 27,5 | 29 | 31 | 32,5 | 34 | 35,5 | 37 |
| | Dimensioni esterne con imballo External dimensions including pack. Außenmaße der Verpackung Dimensions externes avec emball. Dimensiones externas con embalaje Внешние размеры с упаковкой | L mm P mm H mm | 391 1028 277 | | | 391 1428 277 | | | 391 1428 277 | | | |
| | Peso lordo Gross weight - Bruttogewicht Poids brut - Peso bruto - Вес брутто | Kg | 24 | 25,5 | 28 | 29,5 | 31 | 33 | 34,5 | 36 | 37,5 | 39 |